



180 Roberts Street, East Hartford CT 06108 Tel: (860) 296-7000 •WWW. ES-CT.COM

Town of Andover, Connecticut
Attn: Jay Tuttle
12 Long Hill Road
Andover, CT 06232

IN STOCK

January 17th, 2024

Sourcewell State Contract order 070821-TGR
Per State Contract Guidelines All Payments To Be Addressed To:
Tiger Corporation 3301 North Louis Ave, Sioux Falls, SD 57107

We are Pleased to Quote the Following: **TIGER MOWERS BENGAL BOOM MOWER SYSTEM W/ JOHN DEERE 6110M SERIES TRACTOR**

❖ **John Deere 6110M MFWD Tractor (12522LBS)**
Standard Enclosed Cabin Operator's Station

Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left Side Door with Steps, Air Conditioning And Heater, Speedometer, Beverage Holder, Sunvisor for Front Window, 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof Mounted LED Work Lights, Two Front/Two Rear Mounted Warning Lights, Two Fender Mounted Taillights. 120A Alternator, Convenience Power Outlet Monitor, Mounting Bosses (2 Sets), Swing Out Rear Window with Two Removable Rear Plugs for Monitor, Right Hand Console Light, Radio Preparation (with speakers, wiring) Bluetooth Ready, Rear Grab Handle 43.7 U.S. Gallon Fuel Tank Capacity, Deluxe Corner Post Exhaust, Air Suspension Seat, Left Hand and Right-Hand Telescopic Side Mirrors. English Operators Manual

- Add Radio, AM/FM Stereo with Bluetooth Capability
- Add Roof Mounted Strobe Light
- Add License Plate Bracket & LED Light
- Add HD Commercial Back-Up Alarm (102dBA)
 - Wired to Automatically Activate When Transmission is in Reverse

JDLink Modem Capable

- Includes an integrated cab wiring harness and JDLink Modem-4G Capable. Ethernet hardware connection AutoTrac configuration. Allows for easy diagnose and repair monitoring through telematics.

• **PowerQuad Transmission (WB2400)**

Sixteen Forward / Sixteen Reverse Gears, Max Speed 25MPH, MFWD Front Axle, Flange Rear Axle, Equipped with a Shiftable Two Speed Rear 540/1000 RPM Power Take Off, 2 Mechanical Stackable Rear SCV Remotes, Heavy Duty CATII 3 Point Hitch

• **PowerTrain**

John Deere PowerTech 4045 EWL, Four Cylinder, Wet Sleeved, Air to Air Cooled Turbo Charged 111 Horsepower, EPA Teir 4 Final Emissions Compliant Diesel Engine

Tires

Front Wheels and Tires

- 320/85R24 (12.4R24) R1W Heavy Duty Multi-Purpose Radial
 - No Tire brand Preference
 - Steel Wheels

Rear Wheels and Tires

- 460/85R30 (18.4R30) R1W Heavy Duty Multi-Purpose Radial
 - No Tire Brand Preference
 - Steel Wheels
 - Left Tire Loaded with Liquid Calcium for Counter Weight Stability

❖ **Tiger Bengal Boom Mower System**

Twenty-Two Foot High-Mid Mounted Boom Mower (BB22)

- Two Reinforced Boom Arms
- Tiger's Proprietary Standard Full Length Modular Sub Frame Mounting System w/ Integrated Dual Axle Braces
- Flush Mounted 1300LBS Wheel Weight
- High Mount Design with Forty-Four Inches of Boom Mount Travel Height to Navigate Over Obstacles
- Full Lexan Operator Safety Screen That Replaces Factory John Deere Right Side Door Glass
- Three Point Open Boom Stow System.
 - Add Electronic Boom Positioning Sensor
 - Slows Hydraulic Flow to Boom Swing Cylinder When Sensor Indicates Boom is in Correct Boom Stowing Position

❖ **Cutter Head (FL50MBG)**

- Tiger Fifty Inch Flail Head with Reinforced Bonnet
- HD Cutter Shaft with Serviceable Pillow Bearings
- Six Inch Ground Roller
- Heavy Duty Belt Tensioner System
- Medium Duty Brush and Grass Knives Capable of Cutting Four Inch Brush(MBG Knives)

❖ **Hydraulics (JSTK)**

- Fully Independent From Tractor's Hydraulic System
- Tandem Hydraulic Gear Pump Mounted To Front Crankshaft Adaptor with Guard
- Separate Left Side Mounted Oil Cooler Away from Possible Damage & Debris, Plumbed Into Return Side Of Hydraulic Flow
- In Cab Forward and Reverse Fan Switch for Oil Cooler with Hydraulic Temperature Gauge
- 35 Gallon Wheel Well Hydraulic Reservoir with Sight Gauge
 - Hydraulic Filter with Indicator
- Four Bank Danfoss Electronic Over Hydraulic Valve Mounted Behind Cab
- Eight Way Electronic Joystick to Control All Boom Functions Mounted Off Right Arm Rest Inside Cab
- Mower Head On/Off Control Box Mounted Inside Cab with Float Option
- Boom Travel Safety Lock Switch
- Nitrogen Accumulator to Provide Smooth Hydraulic Function & Reduce Hydraulic Shock from Boom Arm
- Hydraulic Brake Valve to Ensure Cutter Head Stops Less Than 7 Seconds After Stop Switch is Activated
 - Add John Deere 6M Series Specific Axle Stabilizer for Added Stability with Fully Extended Boom

❖ **Warranty**

- John Deere Agriculture provides a two year from purchase date limited warranty policy on all John Deere OEM parts, this limited warranty does not apply to any part of the goods which has been subjected to improper or abnormal use, negligence, alteration, modification, or accident, damaged due to lack of maintenance or use of wrong fuel, oil, or lubricants, or which has served its normal life.
- Tiger Mower products warrant a one year from the purchase date to the original non-commercial, governmental, or municipal purchaser that the goods purchased are free from defects in material or workmanship on all Tiger OEM parts. This limited warranty does not apply to any part of any expendable items such as blades, shields, guards, or pneumatic tires.

❖ **Complete Mower System Installed & Operational On A John Deere 6110M Tractor**

MSRP	\$244,165.00
Discount Amount Per Sourcewell Contract	18% < \$43,565.35 >
Net sale price FOB: Andover, Connecticut	\$200,599.65

Hammer
 + 2 sets Additional Knives
 \$3,274.76
 \$203,874.41

All prices are FOB Destination.

Prices are subject to change without notice.

Pricing Valid for Orders Placed within 30 Days of Quotation.

Respectfully Submitted,
Chris Spak
 Sales Consultant

ACCEPTANCE OF PROPOSAL: The above prices, specifications, and conditions are satisfactory and are hereby accepted.

PRINT: _____

SIGNED: _____

DATE: _____

Extended Warranty Options

Additional Tiger One Year Extended Warranty *Add < \$ 5,624.98 >*

Additional Tiger Two Year Extended Warranty *Add < \$10,384.58 >*

Additional Tiger Three Year Extended Warranty *Add < \$12,980.72 >*