CORREIA-LOTECKA ACRES

APPLICATION FOR 2 LOT OPEN SPACE RESUBDIVISION & SPECIAL PERMIT FOR 2 REAR LOTS 26 OLD FARMS ROAD / PINE RIDGE DRIVE RD. ANDOVER, CT.

ASSESSOR'S MAP 28 BLOCK 7 LOT 6-23

TOTAL RESUBDIVSION AREA 13.86 ACRES


OWNERS/APPLICANTS

GEORGE CORREIA

53 MALLARD DRIVE EAST HARTFORD, CT. 06118
WALTER ERIK & MELISSA EMILY LOTECZKA
132 LAKE STREET MANCHESTER, CT. 06042

CIVIL ENGINEER / LAND SURVEYOR

BUSHNELL ASSOCIATES LLC.
563 WOODBRIDGE STREET
MANCHESTER, CT. 06042



LOCATION MAP SCALE: 1"=500'

SHEET INDEX

SHEET 1 COVER SHEET

SHEET 2 BOUNDARY / RESUBDIVISION PLAN

SHEET 3 GRADING / E&S PLAN

SHEET 4 DRIVEWAY WETLANDS CROSSING PLAN

SHEET 5 DRIVEWAY WETLANDS CROSSING PLAN& PROFILE PLAN

SHEET 6 CONSTRUCTION / E&S DETAILS

SPECIAL PERMIT FOR REAR LOTS
APPROVED
ANDOVER PLANNING & ZONING COMMISSION

CHAIRPERSON-SECRETARY DATE

SEE P&Z MINUTES OF FOR SPECIFIC


CONDITIONS OF APPROVAL


SUBDIVISION APPROVED ANDOVER PLANNING & ZONING COMMISSION

CHAIRPERSON-SECRETARY DATE

SEE P&Z MINUTES OF FOR SPECIFIC

CONDITIONS OF APPROVAL





SURVEY NOTES:

1.) THIS SURVEY AND MAP HAS BEEN PREPARED IN ACCORDANCE WITH SECTIONS 20-300b-1 THRU 20-300b-20 OF THE REGULATIONS OF CONNECTICUT STATE AGENCIES "MINIMUM STANDARDS OF ACCURACY CONTENT AND CERTIFICATION FOR SURVEYS AND MAPS." AS ADOPTED BY THE CONNECTICUT ASSOCIATION OF LAND SURVEYORS, INC.ON AUGUST 29 2019. IT IS A COMPILATION PLAN CONFORMING TO HORIZONTAL ACCURACY CLASS D. THIS PLAN WAS COMPILED FROM OTHER MAPS, RECORD RESEARCH OR OTHER SOURCES OF INFORMATION. IT IS NOT TO BE CONSTRUED AS HAVING BEEN OBTAINED AS THE RESULT OF A FIELD SURVEY, AND IS SUBJECT TO SUCH CHANGE AS AN ACCURATE FIELD SURVEY MAY DISCLOSE. THE INTENT OF THIS PLAN IS TO DEPICT A CONCEPTUAL SUBDIVISION LAYOUT FOR FEASIBILITY PURPOSES ONLY.

2.) PROPERTY IS LOCATED IN A ARD ZONE.

3.) THE PROPERTY IS NOT LOCATED IN A FLOOD HAZARD ZONE A PER FIRM FLOOD INSURANCE RATE MAP NUMBER 0901610003A EFFECTIVE FEBRUARY 3, 1982.

4.) INLAND WETLAND BOUNDARIES SHOWN WERE TAKEN FROM MAP REFERENCE 1.

5.) THE PROPERTY IS SHOWN AS AN AREA OF STATE AND FEDERAL LISTED SPECIES ON THE CONNECTICUT DEPARTMENT OF ENERGY & ENVIRONMENTAL PROTECTION BUREAU OF NATURAL RESOURCES WILDLIFE DIVISION NATURAL DIVERSITY DATA BASE AREAS MAPPING DATED DECEMBER 2020.

I.) RESUBDIVISION PLAN THE WOODLANDS SECTION II HENDEE ROAD & PINE RIDGE DRIVE ANDOVER, CT BOUNDARY PLAN SCALE: 1"=100' DATE: 4/3/88 FILE NO. 87090 SHEET 1 OF 4 HOLMES & HENRY ASSOCIATES CONSULTING ENGINEERS · LAND SURVEYORS · LAND PLANNERS REVISED TO 8/15/88

2.) PLAN PREPARED FOR MARK AND HOLLY YESKE OLD FARMS ROAD ANDOVER, CT GENERAL LOCATION SURVEY SCALE: 1"=40' DATE: 7/5/2002 FILE NO. 220035 SHEET 1 OF 1 HOLMES & HENRY ASSOCIATES LLC CONSULTING ENGINEERS LAND SURVEYORS LAND PLANNERS REVISED TO

I.) OWNER OR CONTRACTOR IS RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND

2.) OWNER OR CONTRACTOR TO VERIFY ALL DIMENSIONS AND INFORMATION CONTAINED ON THIS PLAN PRIOR TO THE START OF CONSTRUCTION . THE ENGINEER SHALL BE NOTIFIED OF ANY DISCREPANCIES PRIOR TO THE START OF CONSTRUCTION.

3.) ANY TREES TO BE REMOVED IN THE TOWN RIGHT OF WAY SHALL BE POSTED BY THE TREE WARDEN

4.) ALL PROPOSED UTILITIES LOCATIONS SHALL BE APPROVED BY THE LOCAL UTILITY COMPANIES PRIOR TO THE START OF CONSTRUCTION.

EROSION CONTROL CONSTRUCTION SEQUENCE PLAN HOUSE LOT DEVELOPMENT
NOTE: ALL EROSION AND SEDIMENT CONTROL ACTIVITIES SHALL CONFORM TO THE METHODS OUTLINED IN THE 2002 CONNECTICUT GUIDELINES FOR EROSION AND SEDIMENT CONTROL MANUAL.

1.) COORDINATE MARKING OF LIMITS OF DISTURBANCE BY A LICENSED LAND SURVEYOR. SUPPLY TOWN EROSION CONTROL OFFICER WITH A LETTER FROM THE SURVEYOR CERTIFYING THE LIMITS OF DISTURBANCE WERE MARKED IN ACCORDANCE WITH THE APPROVED PLAN.

2.) CLEAR TREES AS REQUIRED.

OF DISTURBANCE.

3.) PRIOR TO SOIL DISTURBANCE INSTALL EROSION CONTROL MEASURES, SILT FENCE AND ANTI-TRACKING PAD (SEE PLAN DETAILS AND LOCATIONS). ADDITIONAL MEASURES MAY BE REQUIRED AS SITE CONDITIONS REQUIRE. COORDINATE AN INSPECTION OF INSTALLED MEASURES WITH THE TOWN OF ANDOVER EROSION CONTROL OFFICER. SUPPLY THE TOWN OF ANDOVER EROSION CONTROL OFFICER WITH THE NAME AND PHONE NUMBER OF A CONTACT PERSON RESPONSIBLE FOR THE EROSION CONTROL MEASURES.

3.) PERIODICALLY AND AFTER LARGE RAIN EVENTS INSPECT EROSION CONTROL MEASURES AND

4.) GRUB AND STRIP TOPSOIL. STOCKPILE TOPSOIL IN AREA OF CONSTRUCTION FROM PINE RIDGE DRIVE TO TO THE EDGE OF THE WETLANDS

5.) CONSTRUCT AND STABILIZE DRIVEWAY FROM PINE RIDGE DRIVE TO WETLANDS CROSSING. STABILIZE DISTURBED SIDE SLOPES WITH TOPSOIL AND EROSION CONTROL BLANKETS. MAINTAIN DRIVEWAY CENTERLINE CROWN AND CROSS SLOPE TO DIRECT STORMWATER TO DRIVEWAY SHOULDERS.

6.) CONSTRUCT RETAINING WALLS AND DRIVEWAY ACROSS WETLANDS TO LOT 2 HOUSE AREA . COMPLETE WORK I THE WETLANDS DURING A NO-FLOW PERIOD. STABILIZE DISTURBED SIDE SLOPES WITH TOP SOIL AND EROSION CONTROL BLANKETS. MAINTAIN DRIVEWAY CENTERLINE CROWN AND CROSS SLOPE TO DIRECT STORMWATER TO DRIVEWAY SHOULDERS.

7.) SPREAD STOCKPILED TOPSOIL. MACHINE RAKE, FERTILIZE, SEED AND MULCH ALL OTHER DISTURBED AREAS. USE GRASS SEED THAT IS ACCEPTABLE FOR THE SITE CONDITIONS (I.E., SUN OR SHADE) AND THE SEASON OF THE YEAR IN WHICH THIS ACTIVITY IS COMPLETED. PROVIDE TEMPORARY STABILIZATION OF THE SITE (i.e. STRAW OR HAY ETC..) IF THE TOPSOIL IS SPREAD DURING A TIME OF YEAR WHEN GRASS SEED WILL NOT GERMINATE. PROVIDE PERMANENT STABILIZATION WHEN WEATHER CONDITIONS ALLOW.

- 8.) REMOVE EROSION CONTROL MEASURES AFTER THE SITE HAS BECOME FULLY ESTABLISHED.
- 9.) ANY EXISTING DISTURBED AREAS MUST BE SEEDED WITH PERMANENT OR TEMPORARY GROUND COVER AND MULCHED BY OCTOBER 15.

10.) DEWATERING OPERATIONS, IF REQUIRED, SHALL UTILIZE A CRUSHED STONE INTAKE SUMP AND A TEMPORARY OUTLET SILT POOL LOCATED WITHIN THE LIMITS

PREPARATION: FINE GRADE AND RAKE SOIL SURFACE TO REMOVE STONES LARGER THAN 2" IN DIAMETER. INSTALL SEEDED EROSION CONTROL DEVICES SUCH AS SURFACE WATER DIVERSIONS AS REQUIRED. APPLY LIMESTONE AT A RATE OF 2 TONS/AC. OR 90 LBS./1000 SQ.FT. FERTILIZE WITH 10-10-10 AT A RATE OF 300 LBS./AC. OR 7.5 LBS. PER 1000 SQ.FT. WORK LIME AND FERTILIZER INTO SOIL UNIFORMLY TO A


SEED APPLICATION: APPLY SEED MIXTURE FROM THE CHART BELOW BY HAND, CYCLONE SEEDER OR HYDRO SEEDER. INCREASE SEED MIXTURE BY 10% IF HYDRO SEEDER IS USED. LIGHTLY DRAG OR ROLL THE SEEDED SURFACE TO COVER SEED. SEEDING SHOULD BE DONE BETWEEN THE TIMES SHOWN ON THE CHART BELOW. IF SEEDING CANNOT BE DONE DURING THESE TIMES, REPEAT MULCHING PROCEDURE BELOW UNTIL SEEDING CAN TAKE PLACE.


MULCHING: IMMEDIATELY FOLLOWING SEEDING, MULCH THE SEED SURFACE WITH STRAW OR HAY AT A RATE OF 2 TO 3 TONS/AC. SPREAD MULCH BY HAND OR MULCH BLOWER. PUNCH MULCH INTO SOIL SURFACE WITH A TRACK MACHINE OR DISK HARROW SET STRAIGHT UP. IF USING HYDRO SEED MIX USE

| | SEED SELECTION: USE PERMANENT LAWN | L B/ 10 | 00 SQ. FT. 0.45 0.45 0.10 | SEED MIXTURE KENTUCKY BLUEGRASS CREEPING RED FESCUE PERENNIAL RYEGRASS | DMMENDED DING DATES 4/1-6/15 8/15-10/1 |
|----|--|----------------|------------------------------------|---|---|
| IN | SLOPES & COARSE LAWN | | 0.45 0.05 0.45 | CREEPING RED FESCUE RED TOP TALL FESCUE | 4/1-6/15 8/15-10/1 |
| | SLOPES (NO MOWING) | | 1.8 0.2 | CREEPING RED FESCUE RED TOP | 4/1-6/15 8/15-10/1 |
| | TEMPORARY COVER | | 3.0 | WINTER RYE OR | 4/15-6/15,8/15-10/15 |
| | | | 1.0 | ANNUAL RYEGRASS | 3/1-6/15,8/1-10/15 |

TACTIFIER ADDITIVES TO ADHERE MULCH MATERIAL TO THE SURFACE.

IF SEED IS PLANTED OUTSIDE THE RECOMMENDED SEEDING DATES IRRIGATION MAYBE REQUIRED AT A UNIFORM APPLICATION RATE OF 1 TO 2 INCHES OF WATER APPLIED PER APPLICATION, SOAKING THE GROUND TO A DEPTH OF 4 INCHES.





ANDOVER PLANNING & ZONING COMMISSION

SEE P&Z MINUTES OF

X 604 PROPOSED SPOT GRADE X604 EXISTING SPOT GRADE — ─ 604— — EXISTING CONTOUR

PROPOSED CONTOUR EDGE OF FIELD LOCATED WETLANDS ▲WF 20 WETLANDS FLAG

11//12/2020

SCALE 1"=20'

SILT FENCE DETAIL

NOT TO SCALE


ANTI - TRACKING CONSTRUCTION ENTRANCE NOT TO SCALE

TO MY KNOWLEDGE AND BELIEF, THIS MAP IS SUBSTANTIALLY CORRECT AS NOTED HEREON.

ANDREW F. BUSHNELL P.E. L.S. 24591 THIS MAP IS NOT VALID UNLESS IT BEARS THE EMBOSSED SEAL OF THE LICENSED LAND SURVEYOR WHOSE REGISTRATION NUMBER AND SIGNATURE APPEAR ABOVE. 26 OLD FARMS RD. / PINE RIDGE DRIVE DRIVEWAY / WETLANDS CROSSING PLAN SCALE: 1"=20' DATE: 11/12/2020 FILE NO. 2020-61 SHEET: 4 OF 6 BUSHNELL ASSOCIATES LLC.

CIVIL ENGINEERING AND LAND SURVEYING

563 WOODBRIDGE STREET MANCHESTER, CT. 06042 860-643-7875 REVISIONS: 1/11/2021, 1/12/2021, 1/29/2021, 3/10/2021



1.) ALL WORK SHALL CONFORM TO THE TOWN OF ANDOVER REGULATIONS AND STANDARDS AND SPECIFICATIONS.

2.) UNDERGROUND UTILITIES MAY EXIST IN THE AREA OF THIS SURVEY. CONTRACTOR TO VERIFY THE PRESENCE AND EXACT LOCATION OF ANY UNDERGROUND UTILITIES PRIOR TO THE START OF CONSTRUCTION.

3.) ANY TREES TO BE REMOVED WITHIN THE TOWN OR STATE ROAD RIGHT OF WAY MUST BE POSTED BY THE TREE WARDEN PRIOR TO REMOVAL.

4.) SOLAR ORIENTATION OF THE PROPOSED HOUSE LOCATION WAS TAKEN INTO CONSIDERATION THE HOUSE SHOWN ON THIS PLAN IS FOR FEASIBILITY. THE HOMEOWNER WILL HAVE SOME FLEXIBILITY CONCERNING THE FINAL HOUSE LOCATION.

5.) PROPOSED DRIVEWAY SHALL NOT EXCEED 15% SLOPES.

4.) NO UNDERGROUND STORAGE TANKS ARE TO BE INSTALLED EXCEPT PROPANE.

- 5.) PRIOR TO THE ISSUANCE OF A CERTIFICATE OF USE AND COMPLIANCE FOR THE PROPOSED HOUSE: A. ALL REQUIRED BOUNDARY MONUMENT SHALL BE SET BY A LICENSED
- LAND SURVEYOR. THE LAND SURVEYOR SHALL SUPPLY THE PLANNING AND ZONING DEPARTMENT WITH A LETTER VERIFYING THE SETTING OF THE REQUIRED MONUMENTATION.
- B. ALL GRADING AND CLEARING, ESPECIALLY FOR PROPER SIGHT LINE AND INSTALLATION OF DRIVEWAY APRON SHALL BE COMPLETED AND INSPECTED
- BY THE TOWN OF COVENTRY.
- C. STREET NUMBERS FOR THE PROPOSED HOUSE SHALL BE PLACED ON THE FRONT OF THE HOUSE OR IN AN AREA MORE VISIBLE FROM THE STREET AND APPROVED BY THE TOWN OF COVENTRY.
- D. THE PROPOSED DRIVEWAY SHALL BE BUILT IN THE DEPICTED LOCATION OR IN A LOCATION WITH EQUIVALENT OR BETTER SIGHT LINE AND DRAINAGE CONDITIONS AS DETERMINED BY THE ZONING AGENT AND/OR SUPERINTENDENT OF STREETS.
- THE DRIVEWAY SHALL HAVE A PAVED APRON E. ALL DISTURBED AREAS SHALL BE TOPSOILED SEEDED AND MULCHED OR STABILIZED ACCORDING TO THE SEASON OF THE YEAR.
- F. ALL OTHER REQUIREMENTS AS STATED ON THIS PLAN SHALL HAVE BEEN MET
- AS PER TOWN OF COVENTRY REGULATIONS. G.) A SEPTIC SYSTEM AS-BUILT PLAN SHALL BE PROVIDED TO THE EASTERN HIGHLANDS HEALTH DISTRICT BY THE LICENSED SEPTIC SYSTEM INSTALLER.

6.) NO LIQUID OR SOLID CHEMICAL FERTILIZERS, PESTICIDES, HERBICIDES OR PETROLEUM DUST CONTROL AGENTS SHALL BE APPLIED ON THIS SITE.

7.) OWNER AND/OR CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING NECESSARY PERMITS.

8.) LIMIT OF INDIVIDUAL LOT DISTURBANCE IS TYPICALLY DELINEATED BY THE SILT FENCE SYMBOLS SHOWN ON THE PLANS.

9.) PROPOSED HOUSES, SEPTIC, DRIVEWAYS, FOOTING DRAIN AND LIMIT OF DISTURBANCE LOCATIONS SHOWN ARE PRELIMINARY, LOCATIONS MAY CHANGE WITH FINAL LOT DESIGN.

10.) ALL UTILITIES SHALL BE APPROVED BY THE LOCAL UTILITY COMPANIES PRIOR TO CONSTRUCTION. ALL UTILITIES SHALL BE CONSTRUCTED TO LOCAL UTILITY COMPANY SPECIFICATIONS AND INSTALLED UNDERGROUND. "COLONIAL STYLE STREET LIGHT FIXTURES SHALL BE INSTALLED IN LOCATIONS SHOWN ON MAPPING. FINAL FIXTURE STYLES AND SPECIFICATIONS SHALL BE APPROVED BY THE TOWN OF COVENTRY STAFF.

11.) ANY DRAINAGE, COMMON DRIVEWAY, CONSERVATION, UTILITY AND ANY OTHER APPLICABLE EASEMENTS SHALL BE PLACED ON THE DEEDS FOR EACH LOT AFFECTED.

12.) INDIVIDUAL SITE PLANS ARE REQUIRED FOR EACH LOT PRIOR TO HOUSE CONSTRUCTION. THESE PLANS SHALL SHOW THE FOLLOWING: PROPOSED EROSION AND SEDIMENT CONTROLS, HOUSE LOCATION, SEPTIC SYSTEM, WELL, DRIVEWAY, CURTAIN DRAINS (IF REQUIRED, FOOTING DRAINS)

13.) STONEWALLS SHALL BE PRESERVED WHENEVER POSSIBLE.

14.) INDIVIDUAL CLEARING LIMITS OF EACH LOT SHALL BE FLAGGED BY A LICENSED LAND SURVEYOR AND CERTIFIED, TO THE TOWN OF COVENTRY, TO BE CONSISTENT WITH THE INDIVIDUAL LOT DEVELOPMENT PLAN PRIOR TO THE START OF ANY SITE DISTURBANCE.

15.) PRIOR TO ISSUANCE OF A ZONING PERMIT TO CONSTRUCT THE PROPOSED HOUSE THE CONSERVATION EASEMENT AREA SHALL BE DELINEATED WITH THE PROPER SIGNS AND THE REQUIRED DEED OR DEEDS FILED ON THE TOWN OF COVENTRY LAND RECORDS.

16.) INDIVIDUAL LOTS WILL CONTAIN STORM WATER MANAGEMENT STRUCTURES. A NOTICE OF THIS SHALL BE INCLUDED IN THE DEEDS OF INDIVIDUAL LOTS AT THE TIME OF CONVEYANCE.

17.) STREET TREES SHALL BE PLANTED IN ACCORDANCE WITH SECTION 120B-LANDSCAPING OF THE TOWN OF COVENTRY ROAD REGULATIONS DATED DEC. 14, 1998.

EROSION CONTROL CONSTRUCTION SEQUENCE PLAN HOUSE LOT DEVELOPMENT NOTE: ALL EROSION AND SEDIMENT CONTROL ACTIVITIES SHALL CONFORM TO THE METHODS OUTLINED

IN THE 2002 CONNECTICUT GUIDELINES FOR EROSION AND SEDIMENT CONTROL MANUAL. 1.) COORDINATE A PRE-CONSTRUCTION MEETING WITH WETLANDS STAFF PRIOR TO THE START OF CONSTRUCTION ACTIVITIES.

2.) COORDINATE MARKING OF LIMITS OF DISTURBANCE BY A LICENSED LAND SURVEYOR. SUPPLY TÓWN EROSION CONTROL OFFICER WITH A LETTER FROM THE SURVEYOR CERTIFYING THE LIMITS OF DISTURBANCE WERE MARKED IN ACCORDANCE WITH THE APPROVED PLAN.

CLEAR TREES AS REQUIRED.

4.) PRIOR TO SOIL DISTURBANCE INSTALL EROSION CONTROL MEASURES, SILT FENCE AND ANTI-TRACKING PAD (SEE PLAN DETAILS AND LOCATIONS). ADDITIONAL MEASURES MAY BE REQUIRED AS SITE CONDITIONS REQUIRE. COORDINATE AN INSPECTION OF INSTALLED MEASURES WITH THE EROSION CONTROL OFFICER. SUPPLY THE TOWN OF COVENTRY EROSION CONTROL OFFICER WITH THE NAME AND PHONE NUMBER OF A CONTACT PERSON RESPONSIBLE FOR THE EROSION CONTROL MEASURES.

5.) PERIODICALLY AND AFTER LARGE RAIN EVENTS INSPECT EROSION CONTROL MEASURES AND REPAIR AS NECESSARY.

6.) GRUB AND STRIP TOPSOIL. STOCKPILE TOPSOIL IN AREAS INDICATED ON THE APPROVED PLAN.

CONSTRUCT AND STABILIZE DRIVEWAY.

8.) CONSTRUCT HOUSE, WELL, DRIVEWAY, SEPTIC SYSTEM AND OTHER IMPROVEMENTS AS SHOWN.

9.) SPREAD STOCKPILED TOPSOIL. MACHINE RAKE, FERTILIZE, SEED AND MULCH DISTURBED AREAS. USE GRASS SEED THAT IS ACCEPTABLE FOR THE SITE CONDITIONS (I.E., SUN OR SHADE) AND THE SEASON OF THE YEAR IN WHICH THIS ACTIVITY IS COMPLETED. PROVIDE TEMPORARY STABILIZATION OF THE SITE (i.e. STRAW OR HAY ETC..) IF THE TOPSOIL IS SPREAD DURING A TIME OF YEAR WHEN GRASS SEED WILL NOT GERMINATE. PROVIDE PERMANENT STABILIZATION WHEN WEATHER CONDITIONS ALLOW.

10.) REMOVE EROSION CONTROL MEASURES AFTER THE SITE HAS BECOME FULLY ESTABLISHED.

11.) ANY EXISTING DISTURBED AREAS MUST BE SEEDED WITH PERMANENT OR TEMPORARY GROUND COVER AND MULCHED BY OCTOBER 15.

12.) DEWATERING OPERATIONS, IF REQUIRED, SHALL UTILIZE A CRUSHED STONE INTAKE SUMP AND A TEMPORARY OUTLET SILT POOL LOCATED WITHIN THE LIMITS OF DISTURBANCE.

PREPARATION: FINE GRADE AND RAKE SOIL SURFACE TO REMOVE STONES LARGER THAN 2" IN DIAMETER. INSTALL SEEDED EROSION CONTROL DEVICES SUCH AS SURFACE WATER DIVERSIONS AS REQUIRED. APPLY LIMESTONE AT A RATE OF 2 TONS/AC. OR 90 LBS./1000 SQ.FT. FERTILIZE WITH 10-10-10 AT A RATE OF 300 LBS./AC. OR 7.5 LBS. PER 1000 SQ.FT. WORK LIME AND FERTILIZER INTO SOIL UNIFORMLY TO A

SEED APPLICATION: APPLY SEED MIXTURE FROM THE CHART BELOW BY HAND, CYCLONE SEEDER OR HYDRO SEEDER. INCREASE SEED MIXTURE BY 10% IF HYDRO SEEDER IS USED. LIGHTLY DRAG OR ROLL THE SEEDED SURFACE TO COVER SEED. SEEDING SHOULD BE DONE BETWEEN THE TIMES SHOWN ON THE CHART BELOW. IF SEEDING CANNOT BE DONE DURING THESE TIMES, REPEAT MULCHING PROCEDURE BELOW UNTIL SEEDING CAN TAKE PLACE.

MULCHING: IMMEDIATELY FOLLOWING SEEDING, MULCH THE SEED SURFACE WITH STRAW OR HAY AT A RATE OF 2 TO 3 TONS/AC. SPREAD MULCH BY HAND OR MULCH BLOWER. PUNCH MULCH INTO SOIL SURFACE WITH A TRACK MACHINE OR DISK HARROW SET STRAIGHT UP. IF USING HYDRO SEED MIX USE TACTIFIER ADDITIVES TO ADHERE MULCH MATERIAL TO THE SURFACE.

| SEED SELECTION: USE PERMANENT LAWN | LB/10 | 000 SQ. FT. 0.45 0.45 0.10 | SEED MIXTURE KENTUCKY BLUEGRASS CREEPING RED FESCUE PERENNIAL RYEGRASS | RECOMMENDED SEEDING DATES 4/1-6/15 8/15-10/1 |
|--|-------|-------------------------------------|---|---|
| SLOPES & COARSE LA | WN | 0.45 0.05 0.45 | CREEPING RED FESCUE RED TOP TALL FESCUE | 4/1-6/15 8/15-10/1 |
| SLOPES (NO MOWING |) | 1.8 0.2 | CREEPING RED FESCUE RED TOP | 4/1-6/15 8/15-10/1 |
| TEMPORARY COVER | | 3.0 | WINTER RYE OR | 4/15-6/15,8/15-10/15 |
| | | 1.0 | ANNUAL RYEGRASS | 3/1-6/15,8/1-10/15 |

IF SEED IS PLANTED OUTSIDE THE RECOMMENDED SEEDING DATES IRRIGATION MAYBE REQUIRED AT A UNIFORM APPLICATION RATE OF 1 TO 2 INCHES OF WATER APPLIED PER APPLICATION, SOAKING THE GROUND TO A DEPTH OF 4 INCHES.

1.) OWNER OR CONTRACTOR IS RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS.


2.) OWNER OR CONTRACTOR TO VERIFY ALL DIMENSIONS AND INFORMATION CONTAINED ON THIS PLAN PRIOR TO THE START OF CONSTRUCTION . THE ENGINEER SHALL BE NOTIFIED OF ANY DISCREPANCIES PRIOR TO THE START OF CONSTRUCTION.

3.) PRIOR TO THE ISSUANCE OF A CERTIFICATE OF OCCUPANCY ALL BOUNDARY MARKERS SHALL BE SET BY A LICENSED LAND SURVEYOR.


4.) PRESERVE ANY EXISTING STONE WALLS WHEREVER POSSIBLE.

5.) ANY TREES TO BE REMOVED IN THE TOWN RIGHT OF WAY SHALL BE POSTED BY THE TREE WARDEN


6.) ALL PROPOSED UTILITIES LOCATIONS SHALL BE APPROVED BY THE LOCAL UTILITY COMPANIES PRIOR TO THE START OF CONSTRUCTION.



ANTI - TRACKING CONSTRUCTION ENTRANCE NOT TO SCALE



SILT FENCE DETAIL NOT TO SCALE



FOOTING DRAIN OUTLET DETAIL NOT TO SCALE

UTILITIES SHOWN ON THIS MAP WERE DERIVED FROM FIELD LOCATIONS AND EXISTING MAPPING CONTRACTOR TO VERIFY LOCATIONS AND DEPTH IN THE FIELD PRIOR THE START OF ANY CONSTRUCTION. "CALL BEFORE YOU DIG (1-800-922-4455)."

PLAN PREPARED FOR GEORGE CORREIA 26 OLD FARMS RD. / PINE RIDGE DRIVE CONSTRUCTION / E&S DETAILS SCALE: NONE DATE: 8/12/2020 FILE NO. 2020-61 SHEET: 6 OF 6 BUSHNELL ASSOCIATES LLC. CIVIL ENGINEERING AND LAND SURVEYING 563 WOODBRIDGE STREET MANCHESTER, CT. 06042 860-643-7875 REVISIONS: 1/11/2021, 1/12/2021, 1/29/2021, 3/10/2021