

Town of Andover
INLAND WETLANDS & WATERCOURSES COMMISSION
REGULAR MEETING AGENDA
Monday, May 2nd, - 7:00 P.M.

Join by Computer: <https://us02web.zoom.us/j/83026516798>

Join by Phone: +1 646 558 8656

Meeting ID: 830 2651 6798

Passcode: 590578

REGULAR MEETING AGENDA

1. CALL TO ORDER
2. ROLL CALL/SEATING OF ALTERNATES
3. CHANGES IN ORDER TO AGENDA
4. APPROVAL OF MINUTES
 - a. [April 4, 2022 Public Hearing and Regular Meeting Minutes](#)
5. PUBLIC COMMENT
6. NEW BUSINESS- Take Receipt/Discussion
 - a. **Permit Application IWWC 22-02:** Town of Andover, **Shoddy Mill Rd and Birch Drive-** Drainage improvements, pipe and catch basin replacement within wetlands adjacent to Shoddy Mill Rd, and relocation of a watercourse flowing onto Shoddy Mill Rd.
 - b. **Permit Application IWWC 22-03:** Shane Vertefeuille, **880 and 874 East Street-** Replacement of two steel culverts in an existing driveway crossing over Burnap Brook.
7. OTHER BUSINESS
 - a. Commission Vacancies
8. AGENT REPORT/ENFORCEMENT ACTIONS
9. NEXT REGULAR MEETING:

Monday June 6th, 2022 @ 7:00 p.m.
10. ADJOURNMENT

OPEN APPLICATION SUMMARY TABLE

Application	Status	Appl. Fee	Applicant(s)*	Activity Location	Activity Description	Receipt Date	Site Visit(s)	Public Hearing	Min. Action Date	Max. Action Date
IWWC22-02	NEW	N/A	Town of Andover	Shoddy Mill Rd./ Birch Dr.	Road drainage system improvements, relocation of watercourse.	05-02-2022			05-17-2022	07-06-2022
IWWC22-03	NEW	Paid	Vertefeuille	880+874 East St.	Replacement of failed steel driveway culverts.	05-02-2022			05-17-2022	07-06-2022

**Unless otherwise noted the applicant listed is the owner of the property.*

****Maximum action date is 35 days after conclusion of Public Hearing.*