

Town of Andover
Board of Finance Special Meeting Agenda

Date/Time: Wednesday, January 18th, 2023, 7:00pm
Location: Virtual Zoom Meeting
Call in directions: <https://us02web.zoom.us/j/88687881996>

Join by phone: 1 646 558 8656

Meeting ID: 886 8788 1996

Passcode: 440599

- 1) Call to Order/Pledge of Allegiance
- 2) Public speak
- 3) Public Works Plow Truck
 - a) Purchase Agreement
 - b) Financing method and terms
 - c) Source of funding
 - d) Referral from BOS to public meeting on Feb 7th 7 pm Andover Gymnasium
- 4) Adjournment

Plow truck Purchase Notes for the BOF Special meeting:

Goal Have a new Plow truck in place for the 2023-24 winter season ie delivery by Nov 2023

Plow truck purchase \$258,608.86

Public Works Capital Equipment fund 100-00-3700-059 **\$129,205 Current balance**

Will be paying a bill for \$75,000 shortly for the Bobcat skid Steerer

BOS also authorized the purchase for the trailer at \$12,362

This leaves approximately **\$41,000** in the equipment fund

So assuming a 5 year lease We need to **Escrow \$58,888.95** in the current budget year

The difference is about \$17,500 What the BOS is recommending is that since this money is being escrowed and not being spent in this year, that it be taken from the unexpended fund balance.

If the BOF approves this the BOS has motioned to go to town meeting to approve the purchase and lease it will be referred to town meeting on Feb 7th at 7 pm in the AES Gymnasium

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-Mail: PUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

A proposal for
TOWN OF ANDOVER
JAY TUTTLE

Prepared by
FREIGHTLINER OF HARTFORD
Matt Milici

Dec 05, 2022

Freightliner 114SD – Legacy
PER STATE CONTRACT #14PSX0239



Components shown may not reflect all spec'd options and are not to scale

Prepared for:
 JAY TUTTLE
 TOWN OF ANDOVER
 12 LONG HILL RD
 ANDOVER, CT 06232
 Phone: 860-742-4048
 E-Mail: PUBLICWORKS@ANDOVERCT.ORG

Prepared by:
 Matt Miliaci
 FREIGHTLINER OF HARTFORD
 199 ROBERTS STREET
 EAST HARTFORD, CT 06108
 Phone: 860-247-8845
 E-Mail: MATTM@FOHCT.COM

Q U O T A T I O N - P E R S T A T E C O N T R A C T
1 4 P S X 0 2 3 9

114SD CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM, 1250 LB-FT @ 1200 RPM ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION RS-26-185 26,000# T-SERIES SINGLE REAR AXLE 26,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD MFS-20-133A 20,000# FL1 71.0 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE 20,000# TAPERLEAF FRONT SUSPENSION	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB 4125MM (162 INCH) WHEELBASE 7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI 1600MM (63 INCH) REAR FRAME OVERHANG PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT
--	---

		PER UNIT		TOTAL
ITEM #1A: (Base State Chassis)	TOTAL # OF UNITS (1)	\$ 109,243.56	\$	109,243.56d
ITEM #1H: (Chassis Options)		\$ 14,918.59	\$	14,918.59
ITEM #1J: (Body Package)		\$ 134,446.71	\$	134,446.71
CUSTOMER PRICE BEFORE TAX		\$ 258,608.86	\$	258,608.86

TRADE-IN

TRADE-IN ALLOWANCE	\$	(0)	\$	(0)
---------------------------	----	-----	----	-----

BALANCE DUE		(LOCAL CURRENCY)	\$	258,608.86	\$	258,608.86
--------------------	--	-------------------------	----	-------------------	----	-------------------

COMMENTS:

BENEFITS OF FREIGHTLINER OF HARTFORD

- We hold the DOT State Contract which municipalities fall under.
- We are in over 100 of CT's 169 towns.
- Our parts department provides all major manufacturers parts and has an inventory over \$3,000,000.
- Parts deliveries go out daily in two waves; morning and mid-day throughout the State from Thompson to Greenwich.
- Municipalities have priority in our service department during winter months, snow removal as well as during Storms.

- Price and availability subject to change based on the date of this proposals' acceptance.
- See final pages of this proposal for body package specifications.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X _____ Date: ___ / ___ / ___.



Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-MailPUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

S P E C I F I C A T I O N P R O P O S A L

Description

Vehicle Configuration

114SD CONVENTIONAL CHASSIS
2024 MODEL YEAR SPECIFIED
SET BACK AXLE - TRUCK
TRAILER TOWING PROVISION AT END OF
FRAME FOR TRUCK
LH PRIMARY STEERING LOCATION

General Service

TRUCK/TRAILER CONFIGURATION
DOMICILED, USA 50 STATES (INCLUDING
CALIFORNIA AND CARB OPT-IN STATES)
UTILITY/REPAIR/MAINTENANCE SERVICE
GOVERNMENT BUSINESS SEGMENT
DIRT/SAND/ROCK COMMODITY
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN
TRANSIT, IS SPENT ON PAVED ROADS
MAXIMUM 8% EXPECTED GRADE
SMOOTH CONCRETE OR ASPHALT PAVEMENT -
MOST SEVERE IN-TRANSIT (BETWEEN SITES)
ROAD SURFACE
FREIGHTLINER LEVEL II WARRANTY
EXPECTED FRONT AXLE(S) LOAD : 20000.0 lbs.
EXPECTED REAR DRIVE AXLE(S) LOAD :
26000.0 lbs.
EXPECTED GROSS VEHICLE WEIGHT CAPACITY
: 46000.0 lbs.
EXPECTED GROSS COMBINATION WEIGHT :
80000.0 lbs.

Truck Service

FRONT PLOW/END DUMP BODY
TENCO USA, INC.

Engine

CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM,
1250 LB-FT @ 1200 RPM

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-MailPUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

Description

Electronic Parameters

66 MPH ROAD SPEED LIMIT
CRUISE CONTROL SPEED LIMIT SAME AS ROAD
SPEED LIMIT
PTO MODE ENGINE RPM LIMIT - 2100 RPM
PTO RPM WITH CRUISE SET SWITCH - 900 RPM
PTO RPM WITH CRUISE RESUME SWITCH - 900
RPM
PTO MODE CANCEL VEHICLE SPEED - 30 MPH
PTO GOVERNOR RAMP RATE - 100 RPM PER
SECOND
FUEL DOSING OF AFTERTREATMENT ENABLED
IN PTO MODE-CLEANS HYDROCARBONS AT
HIGH TEMPERATURES ONLY
PTO MINIMUM RPM - 700
REGEN INHIBIT SPEED THRESHOLD - 5 MPH

Engine Equipment

2010 EPA/CARB/GHG21 CONFIGURATION
2008 CARB EMISSION CERTIFICATION - CLEAN
IDLE (INCLUDES 6X4 INCH LABEL ON LOWER
FORWARD CORNER OF DRIVER DOOR)
STANDARD OIL PAN
ENGINE MOUNTED OIL CHECK AND FILL
SIDE OF HOOD AIR INTAKE WITH FIREWALL
MOUNTED DONALDSON AIR CLEANER WITH
SAFETY ELEMENT AND INSIDE/OUTSIDE AIR
WITH SNOW DOOR
DR 12V 160 AMP 36-SI BRUSHLESS
QUADRAMOUNT PAD ALTERNATOR WITH
REMOTE BATTERY VOLT SENSE
(3) DTNA GENUINE, FLOODED STARTING, MIN
3000CCA, 555RC, THREADED STUD BATTERIES
BATTERY BOX FRAME MOUNTED
STANDARD BATTERY JUMPERS
SINGLE BATTERY BOX FRAME MOUNTED LH
SIDE UNDER CAB
WIRE GROUND RETURN FOR BATTERY CABLES
WITH ADDITIONAL FRAME GROUND RETURN
NON-POLISHED BATTERY BOX COVER
CAB AUXILIARY POWER CABLE
POSITIVE LOAD DISCONNECT WITH CAB
MOUNTED CONTROL SWITCH MOUNTED
OUTBOARD DRIVER SEAT

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-MailPUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

Description

CUMMINS TURBOCHARGED 18.7 CFM AIR
COMPRESSOR WITH INTERNAL SAFETY VALVE

ELECTRONIC ENGINE INTEGRAL SHUTDOWN
PROTECTION SYSTEM

C-BRAKE BY JACOBS WITH HIGH MED LOW
BRAKE WITH BRAKE LAMPS

RH OUTBOARD UNDER STEP MOUNTED
HORIZONTAL AFTERTREATMENT SYSTEM
ASSEMBLY WITH RH B-PILLAR MOUNTED
VERTICAL TAILPIPE

ENGINE AFTERTREATMENT DEVICE,
AUTOMATIC OVER THE ROAD REGENERATION
AND DASH MOUNTED REGENERATION
REQUEST SWITCH

10 FOOT 00 INCH (126 INCH+0/-5.9 INCH)
EXHAUST SYSTEM HEIGHT

RH CURVED VERTICAL TAILPIPE B-PILLAR
MOUNTED ROUTED FROM STEP

6 GALLON DIESEL EXHAUST FLUID TANK
100 PERCENT DIESEL EXHAUST FLUID FILL
STANDARD DIESEL EXHAUST FLUID PUMP
MOUNTING

LH MEDIUM DUTY STANDARD DIESEL EXHAUST
FLUID TANK LOCATION

STANDARD DIESEL EXHAUST FLUID TANK CAP

STAINLESS STEEL AFTERTREATMENT
DEVICE/MUFFLER/TAILOUTLET SHIELD

HORTON 2-SPEED DRIVEMASTER ADVANTAGE
POLAREXTREME FAN DRIVE

AUTOMATIC FAN CONTROL WITHOUT DASH
SWITCH, NON-ENGINE MOUNTED

CUMMINS SPIN ON FUEL FILTER

COMBINATION FULL FLOW/BYPASS OIL FILTER

1300 SQUARE INCH ALUMINUM RADIATOR
ANTIFREEZE TO -34F, OAT (NITRITE AND
SILICATE FREE) EXTENDED LIFE COOLANT

GATES BLUE STRIPE COOLANT HOSES OR
EQUIVALENT

CONSTANT TENSION HOSE CLAMPS FOR
COOLANT HOSES

RADIATOR DRAIN VALVE

PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK
HEATER

CHROME ENGINE HEATER RECEPTACLE
MOUNTED UNDER LH DOOR

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-MailPUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

Description

ELECTRIC GRID AIR INTAKE WARMER
DELCO 12V 38MT HD STARTER WITH
INTEGRATED MAGNETIC SWITCH

Transmission

ALLISON 3000 RDS AUTOMATIC TRANSMISSION
WITH PTO PROVISION

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 146 -
AVAILABLE ON 3000/4000 PRODUCT FAMILIES
WITH VOCATIONAL MODEL RDS

ALLISON VOCATIONAL RATING FOR ON/OFF
HIGHWAY APPLICATIONS AVAILABLE WITH ALL
PRODUCT FAMILIES

PRIMARY MODE GEARS, LOWEST GEAR 1,
START GEAR 1, HIGHEST GEAR 6, AVAILABLE
FOR 3000/4000 PRODUCT FAMILIES ONLY

SECONDARY MODE GEARS, LOWEST GEAR 1,
START GEAR 1, HIGHEST GEAR 3, AVAILABLE
FOR 3000/4000 PRODUCT FAMILIES ONLY

S1 PERFORMANCE PRIMARY SHIFT SCHEDULE,
AVAILABLE FOR 3000/4000 PRODUCT FAMILIES
ONLY

S1 PERFORMANCE SECONDARY SHIFT
SCHEDULE, AVAILABLE FOR 3000/4000
PRODUCT FAMILIES ONLY

2100 RPM PRIMARY MODE SHIFT SPEED

2100 RPM SECONDARY MODE SHIFT SPEED

FUEL SENSE 2.0 DISABLED - PERFORMANCE -
TABLE BASED

DRIVER SWITCH INPUT - DEFAULT - NO
SWITCHES

DIRECTION CHANGE ENABLED WITH
MULTIPLEXED SERVICE BRAKES - ALLISON 5TH
GEN TRANSMISSIONS

MAXIMUM ENGINE SPEED FOR PTO
ENGAGEMENT 1000 RPM

MAXIMUM ENGINE SPEED FOR PTO
OPERATION 3000 RPM

MAXIMUM OUTPUT SPEED FOR PTO
ENGAGEMENT 3000 RPM - ALLISON 5TH GEN
TRANSMISSIONS

MAXIMUM OUTPUT SPEED FOR PTO
OPERATION 3000 RPM - ALLISON 5TH GEN
TRANSMISSIONS

VEHICLE INTERFACE WIRING CONNECTOR
WITHOUT BLUNT CUTS, AT FIREWALL

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-MailPUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

Description

ELECTRONIC TRANSMISSION CUSTOMER
ACCESS CONNECTOR FIREWALL MOUNTED
CUSTOMER INSTALLED CHELSEA 280 SERIES
PTO
PTO MOUNTING, RH SIDE OF MAIN
TRANSMISSION ALLISON & EATON FULLER
MAGNETIC PLUGS, ENGINE DRAIN,
TRANSMISSION DRAIN, AXLE(S) FILL AND
DRAIN
PUSH BUTTON ELECTRONIC SHIFT CONTROL,
DASH MOUNTED
TRANSMISSION PROGNOSTICS - ENABLED 2013
WATER TO OIL TRANSMISSION COOLER, IN
RADIATOR END TANK
TRANSMISSION OIL CHECK AND FILL WITH
ELECTRONIC OIL LEVEL CHECK
SYNTHETIC TRANSMISSION FLUID (TES-295
COMPLIANT)

Front Axle and Equipment

MFS-20-133A 20,000# FL1 71.0 INCH KPI/3.74
INCH DROP SINGLE FRONT AXLE
MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT
BRAKES, DOUBLE ANCHOR, FABRICATED
SHOES
NON-ASBESTOS FRONT BRAKE LINING
CONMET CAST IRON FRONT BRAKE DRUMS
FRONT BRAKE DUST SHIELDS
FRONT OIL SEALS
STEMCO SERIES 350 ALUMINUM FRONT HUB
CAPS WITH WINDOW AND REMOVABLE BLUE
SENTINEL ESP VENT PLUGS - OIL
STANDARD SPINDLE NUTS FOR ALL AXLES
FRONT BRAKE CHAMBERS - MGM
LONGSTROKE
HALDEX AUTOMATIC FRONT SLACK
ADJUSTERS WITH STAINLESS STEEL CLEVIS
PINS
STANDARD KING PIN BUSHINGS
TRW THP-60 POWER STEERING WITH RCH45
AUXILIARY GEAR
POWER STEERING PUMP
4 QUART POWER STEERING RESERVOIR
OIL/AIR POWER STEERING COOLER

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-MailPUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

Description

CURRENT AVAILABLE SYNTHETIC 75W-90
FRONT AXLE LUBE

Front Suspension

20,000# TAPERLEAF FRONT SUSPENSION
MAINTENANCE FREE RUBBER BUSHINGS -
FRONT SUSPENSION
FRONT SHOCK ABSORBERS

Rear Axle and Equipment

RS-26-185 26,000# T-SERIES SINGLE REAR
AXLE
6.14 REAR AXLE RATIO
IRON REAR AXLE CARRIER WITH STANDARD
AXLE HOUSING
MXL 176T MERITOR EXTENDED LUBE MAIN
DRIVELINE WITH HALF ROUND YOKES
DRIVER CONTROLLED TRACTION
DIFFERENTIAL - SINGLE REAR AXLE
(1) DRIVER CONTROLLED DIFFERENTIAL LOCK
REAR VALVE FOR SINGLE DRIVE AXLE
BLINKING LAMP WITH EACH MODE SWITCH,
DIFFERENTIAL UNLOCK WITH IGNITION OFF,
ACTIVE <25 MPH
MERITOR 16.5X7 P CAST SPIDER CAM REAR
BRAKES, DOUBLE ANCHOR, CAST SHOES
NON-ASBESTOS REAR BRAKE LINING
BRAKE CAMS AND CHAMBERS ON REAR SIDE
OF DRIVE AXLE(S)
WEBB HEAVY WEIGHT CAST IRON REAR BRAKE
DRUMS
REAR BRAKE DUST SHIELDS
REAR OIL SEALS
MGM TR-T LONGSTROKE 1 DRIVE AXLE SPRING
PARKING CHAMBERS
HALDEX AUTOMATIC REAR SLACK ADJUSTERS
WITH STAINLESS STEEL CLEVIS PINS
CURRENT AVAILABLE SYNTHETIC 75W-90 REAR
AXLE LUBE
STANDARD REAR AXLE BREATHER(S)

Rear Suspension

26,000# FLAT LEAF SPRING REAR SUSPENSION
WITH HELPER AND RADIUS ROD
SPRING SUSPENSION - NO AXLE SPACERS



Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-MailPUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

Description

STANDARD AXLE SEATS IN AXLE CLAMP
GROUP
FORE/AFT CONTROL RODS

Brake System

WABCO 4S/4M ABS WITH TRACTION CONTROL,
WITH ATC OFF-ROAD SWITCH
REINFORCED NYLON, FABRIC BRAID AND WIRE
BRAID CHASSIS AIR LINES
FIBER BRAID PARKING BRAKE HOSE
STANDARD BRAKE SYSTEM VALVES
STANDARD AIR SYSTEM PRESSURE
PROTECTION SYSTEM
STD U.S. FRONT BRAKE VALVE
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,
NO REAR PROPORTIONING VALVE
WABCO SYSTEM SAVER HP WITH INTEGRAL
AIR GOVERNOR AND HEATER
WABCO OIL COALESCING FILTER FOR AIR
DRYER
AIR DRYER MOUNTED INBOARD ON RH RAIL
ALUMINUM AIR BRAKE RESERVOIRS MOUNT
PERPENDICULAR TANKS ON RH RAIL AS FAR
AFT AS POSSIBLE. MOUNT THIRD TANK RH IN
RAIL
PULL CABLE ON WET TANK, PETCOCK DRAIN
VALVES ON ALL OTHER AIR TANKS

Trailer Connections

AIR CONNECTIONS TO END OF FRAME WITH
GLAD HANDS FOR TRUCK AND DUST COVERS
PRIMARY CONNECTOR/RECEPTACLE WIRED
FOR COMBINATION STOP/TURN, CENTER PIN
POWERED THROUGH IGNITION WITH STOP
SIGNAL PREWIRE PACKAGE
SAE J560 7-WAY PRIMARY TRAILER CABLE
RECEPTACLE MOUNTED END OF FRAME
UPGRADED CHASSIS MULTIPLEXING UNIT

Wheelbase & Frame

4125MM (162 INCH) WHEELBASE
7/16X3-9/16X11-1/8 INCH STEEL FRAME
(11.11MMX282.6MM/0.437X11.13 INCH) 120KSI
PARTIAL INNER FRAME REINFORCEMENT AT
FRONT SUSPENSION

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-MailPUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

Description

TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT
1600MM (63 INCH) REAR FRAME OVERHANG
FRAME OVERHANG RANGE: 61 INCH TO 70 INCH
24 INCH INTEGRAL FRONT FRAME EXTENSION
CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 96.85 in
CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 93.85 in
CALC'D FRAME LENGTH - OVERALL : 295.0 in
CALCULATED FRAME SPACE LH SIDE : 60.17 in
CALCULATED FRAME SPACE RH SIDE : 44.3 in
SQUARE END OF FRAME
FRONT CLOSING CROSSMEMBER
STANDARD WEIGHT ENGINE CROSSMEMBER
STANDARD MIDSHIP #1 CROSSMEMBER(S)
STANDARD REARMOST CROSSMEMBER
STANDARD SUSPENSION CROSSMEMBER

Chassis Equipment

14 INCH PAINTED STEEL BUMPER
BUMPER MOUNTING FOR SINGLE LICENSE PLATE
HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS
CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD

Fuel Tanks

50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH
RECTANGULAR FUEL TANK(S)
PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS
FUEL TANK(S) FORWARD
PLAIN STEP FINISH
FUEL TANK CAP(S)
DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND 12 VOLT PREHEATER

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-MailPUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

Description

EQUIFLO INBOARD FUEL SYSTEM
HIGH TEMPERATURE REINFORCED NYLON
FUEL LINE

Tires

MICHELIN XZU-S2 315/80R22.5 20 PLY RADIAL
FRONT TIRES
MICHELIN XDS 12R22.5 16 PLY RADIAL REAR
TIRES
MICHELIN XZU-S2 315/80R22.5 20PLY SPARE
TIRE

Hubs

CONMET PRESET PLUS PREMIUM IRON FRONT
HUBS
CONMET PRESET PLUS PREMIUM IRON REAR
HUBS

Wheels

ALCOA ULTRA ONE 89U63X 22.5X9.00 10-HUB
PILOT 3.12 INSET 10-HD ALUMINUM FRONT
WHEELS
ALCOA ULA18X 22.5X8.25 10-HUB PILOT
ALUMINUM DISC REAR WHEELS
POLISHED DISC SIDE FRONT WHEELS WITH
DURA-BRIGHT FINISH
POLISHED OUTER (DISHED SIDE) REAR
WHEELS WITH OUTER ONLY DURA-BRIGHT
FINISH
ALCOA ULTRA ONE 89U63X 22.5X9.00 10 HUB
3.12 INSET 10-HD ALUMINUM DISC SPARE
WHEEL
POLISHED OUTSIDE STEER AXLE SPARE
WHEEL
FRONT WHEEL MOUNTING NUTS
REAR WHEEL MOUNTING NUTS
NYLON WHEEL GUARDS FRONT AND REAR ALL
INTERFACES

Cab Exterior

114 INCH BBC FLAT ROOF ALUMINUM
CONVENTIONAL CAB
AIR CAB MOUNTING
NONREMOVABLE BUGSCREEN MOUNTED
BEHIND GRILLE
SHORT FENDER WITH MUDFLAP

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-MailPUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

Description

BOLT-ON MOLDED FLEXIBLE FENDER
EXTENSIONS
LH AND RH GRAB HANDLES
BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL
STATIONARY BLACK GRILLE WITH BRIGHT
ACCENTS
CHROME HOOD MOUNTED AIR INTAKE GRILLE
FIBERGLASS HOOD
HOOD LINER INSULATION WITH SINGLE
FIREWALL INSULATION
SINGLE 14 INCH ROUND HADLEY AIR HORN
UNDER LH DECK
SINGLE ELECTRIC HORN
SINGLE HORN SHIELD
REAR LICENSE PLATE MOUNT END OF FRAME
HALOGEN COMPOSITE HEADLAMPS WITH
BRIGHT BEZELS
LED AERODYNAMIC MARKER LIGHTS
HEADLIGHTS ON WITH WIPERS, WITH LOW
BEAM DAYTIME RUNNING LIGHTS
INTEGRAL LED STOP/TAIL/BACKUP LIGHTS
STANDARD FRONT TURN SIGNAL LAMPS
DUAL WEST COAST BRIGHT FINISH HEATED
MIRRORS WITH LH AND RH REMOTE
DOOR MOUNTED MIRRORS
102 INCH EQUIPMENT WIDTH
LH AND RH 8 INCH BRIGHT FINISH CONVEX
MIRRORS MOUNTED UNDER PRIMARY
MIRRORS
RH AND LH 8 INCH HEATED STAINLESS-STEEL
FENDER MOUNTED CONVEX MIRRORS WITH
TRIPOD BRACKETS
STANDARD SIDE/REAR REFLECTORS
RH AFTERTREATMENT SYSTEM CAB ACCESS
WITH PLAIN DIAMOND PLATE COVER
COMPOSITE EXTERIOR SUN VISOR
63X14 INCH TINTED REAR WINDOW
TINTED DOOR GLASS LH AND RH WITH TINTED
OPERATING WING WINDOWS
RH AND LH ELECTRIC POWERED WINDOWS,
PASSENGER SWITCHES ON DOOR(S)
1-PIECE BONDED HEATED WIPER PARK SOLAR
GREEN GLASS WINDSHIELD

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-MailPUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

Description

8 LITER (2 GAL) WINDSHIELD WASHER
RESERVOIR, CAB MOUNTED, WITH FLUID
LEVEL INDICATOR

Cab Interior

OPAL GRAY VINYL INTERIOR
MOLDED PLASTIC DOOR PANEL WITHOUT
VINYL INSERT WITH ALUMINUM KICKPLATE
LOWER DOOR
MOLDED PLASTIC DOOR PANEL WITHOUT
VINYL INSERT WITH ALUMINUM KICKPLATE
LOWER DOOR
BLACK MATS WITH SINGLE INSULATION
DASH MOUNTED ASH TRAY(S) WITHOUT
LIGHTER
NO FORWARD ROOF MOUNTED CONSOLE
CENTER STORAGE CONSOLE MOUNTED ON
BACKWALL
(2) CUP HOLDERS LH AND RH DASH
GRAY/CHARCOAL WING DASH
SMART SWITCH EXPANSION MODULE
2-1/2 LB. FIRE EXTINGUISHER
HEATER, DEFROSTER AND AIR CONDITIONER
STANDARD HVAC DUCTING WITH SNOW
SHIELD FOR FRESH AIR INTAKE
MAIN HVAC CONTROLS WITH RECIRCULATION
SWITCH
STANDARD HEATER PLUMBING
VALEO HEAVY DUTY A/C REFRIGERANT
COMPRESSOR
BINARY CONTROL, R-134A
STANDARD INSULATION
SOLID-STATE CIRCUIT PROTECTION AND
FUSES
12V NEGATIVE GROUND ELECTRICAL SYSTEM
DOME DOOR ACTIVATED LH AND RH, DUAL
READING LIGHTS, FORWARD CAB ROOF
ALL UNIT(S) KEYED ALIKE WITH CUSTOMER
SPECIFIED KEY NUMBER FT1015
KEY QUANTITY OF 2
LH AND RH ELECTRIC DOOR LOCKS
(1) 12V POWER SUPPLY (1) DUAL 2.1 AMP USB
CHARGER IN DASH
TRIANGULAR REFLECTORS WITHOUT FLARES

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-MailPUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

Description

ELITE ISRINGHAUSEN HIGH BACK AIR
SUSPENSION DRIVERS SEAT W/2 AIR LUMBAR,
INTEGRATED CUSHION EXTENSION, TILT,
ADJUSTABLE SHOCK, HEAT
BASIC ISRINGHAUSEN HIGH BACK NON-
SUSPENSION TOOL BOX PASSENGER SEAT
DUAL DRIVER SEAT ARMRESTS, NO
PASSENGER SEAT ARMRESTS
LH AND RH INTEGRAL DOOR PANEL ARMRESTS
BLACK MORDURA CLOTH DRIVER SEAT COVER
BLACK MORDURA CLOTH PASSENGER SEAT
COVER
BLACK SEAT BELTS
ADJUSTABLE TILT AND TELESCOPING
STEERING COLUMN
4-SPOKE 18 INCH (450MM) STEERING WHEEL
DRIVER AND PASSENGER INTERIOR SUN
VISORS

Instruments & Controls

GRAY DRIVER INSTRUMENT PANEL
GRAY CENTER INSTRUMENT PANEL
BLACK GAUGE BEZELS
LOW AIR PRESSURE INDICATOR LIGHT AND
AUDIBLE ALARM
2 INCH PRIMARY AND SECONDARY AIR
PRESSURE GAUGES
ENGINE COMPARTMENT MOUNTED AIR
RESTRICTION INDICATOR WITH GRADUATIONS,
WITH WARNING LIGHT IN DASH
87 DECIBELS TO 112 DECIBELS AUTOMATIC
SELF-ADJUSTING BACKUP ALARM
ELECTRONIC CRUISE CONTROL WITH
SWITCHES ON AUXILIARY GAUGE PANEL (B
DASH PANEL)
KEY OPERATED IGNITION SWITCH AND
INTEGRAL START POSITION; 4 POSITION
OFF/RUN/START/ACCESSORY
ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28
LED WARNING LAMPS AND DATA LINKED
HEAVY DUTY ONBOARD DIAGNOSTICS
INTERFACE CONNECTOR LOCATED BELOW LH
DASH
2 INCH ELECTRIC FUEL GAUGE
PROGRAMMABLE RPM CONTROL -
ELECTRONIC ENGINE

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-MailPUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

Description

ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
2 INCH TRANSMISSION OIL TEMPERATURE GAUGE
ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP
ELECTRIC ENGINE OIL PRESSURE GAUGE
OVERHEAD INSTRUMENT PANEL
SMARTPLEX HUB MODULE WITH OVERHEAD SWITCH MOUNTING, DRIVER SIDE AND CENTER CONSOLE (12 SWITCH SLOTS)
CUSTOMER FURNISHED DIN RADIO PACKAGE
DASH MOUNTED RADIO
(2) RADIO SPEAKERS IN CAB
AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF
POWER AND GROUND WIRING PROVISION OVERHEAD
ROOF/OVERHEAD CONSOLE CB RADIO PROVISION
ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
STANDARD VEHICLE SPEED SENSOR
ELECTRONIC 3000 RPM TACHOMETER
NO VEHICLE PERFORMANCE MONITOR
IGNITION SWITCH CONTROLLED ENGINE STOP
7 ON/OFF LATCHING SMARTPLEX SWITCHES
1 ON/OFF MOMENTARY SMARTPLEX SWITCH
BODY UP AND GATE OPEN SMARTPLEX INDICATOR LAMPS
0-RED, 1-AMBER, 1-GREEN SMARTPLEX INDICATOR LAMPS
BW TRACTOR PROTECTION VALVE
TRAILER HAND CONTROL BRAKE VALVE
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY PROGRAMMED TO SLOWEST SPEED WITH PARK BRAKE SET



Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-MailPUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

Description

MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH AND DUAL CONNECTORS AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LIGHTS, LOW BEAMS OFF WITH HIGH BEAMS

TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR

SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE

INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L5946EY GREEN ELITE EY
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
STANDARD BLACK BUMPER PAINT
SUNVISOR PAINTED SAME AS CAB COLOR A
STANDARD E COAT/UNDERCOATING

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

Secondary Options

HEAVY-DUTY ALL-WEATHER SLUSH CATCHING REMOVABLE RUBBER FLOOR MATS
AFTERMARKET BLUETOOTH STEREO WITH TWO ADDITIONAL SPEAKERS IN REAR OF CAB

Extended Warranty

CUMMINS ENGINE CARB22: L9 HD1 MD DTY 5 YEARS / 100,000 MILES / 161,000 KM EXTENDED WARRANTY. FEX APPLIES
TC4: US HD STANDARD/MODERATE VOCATIONAL 7 YEARS/100,000 MILES/161,000 KM EXTENDED TRUCK COVERAGE
ALLISON 3000 RDS SERIES TRANSMISSION EXTEND WARRANTY, 5 YEARS/UNLIMITED MILES FEX
TOWING: 5 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$1200 CAP FEX APPLIES

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-Mail: PUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

Description

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

BODY PACKAGE SPECIFICATIONS:

BODY: **Height Restricted 10'2"**

- TENCO 529230124 All Season Stainless Steel
 - 304 Stainless Steel Walls, Headboard, Tailgate
 - Stainless Steel Removable Conveyor
 - STAINLESS STEEL REAR CORNER POSTS
 - Hardox AR450 Floor
 - 6.11 Cubic Yard Capacity level
 - Three (3) Section Bolt-on Pillow Block Floor Hinge
 - Mailhot CS-90 Telescopic Main Dump
 - Cabshield fully Reinforced
 - Grease Actuators for Chain Tensioning
 - Poly Chute & Spinner
 - 3-1/2" X 22" Side Dump Cylinders 19 Ton Capacity
 - 6 Panel Tailgate with in cab switch, Tailgate Chain Covers
 - Left Side Coal Door
 - Full Body Grease Manifold
 - Fold Up Rear Ladder on Left Side
- **Conspicuity and Safety Tape as Required**
- Pull Out Style Ladder on Left Side with Steps
- **Front & Rear Mud Flaps with Anti-sail on Stainless Steel Brackets**
- **Center Flap to protect Brake Chambers**
- **Two (2) Shovel Holder with Snap Pin**
- 36x18x18 Stainless Steel Tool Box, Mounted on Passenger Frame rail
- **Wheel Chock Holder with Chocks**
- **Poly Fenders Over Rear Tires (Mounted to Chassis)**

LOAD COVER

ANDOVER CY2023



12/05/2022 10:46 AM

Page 17 of 19

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-Mail: PUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

➤ **Hydraulic Load Cover with In Cab Control**

HITCH & PLOW

- Monroe Hitch with 4" X 10" DA Lift Cylinder and multiple push point (11" Ground Clearance)
- HENKE EXP-AK11,36-36-54, RMB, ECT, TT - 11 Foot Reversible Plow
 - 11' long x 36" flaring up and out to 54" on the curbside with a mailbox cut**
 - Tube table push-frame with 5" x 5" x 3/8" wall tubing**
 - external compression with (3) adjustable layback positions**
 - Chain style level lift with 1/2" chain links**
 - Hydraulic power reverse with (2) 4" x 10" x 2" D.A. cylinders**
 - Rubber Shield Rod markers, Jack-stand that stores on the plow when not in use**

TOW PLATE

- **25 Ton Pintle Hitch on 3/4" Plate with D-Rings, Gladhands (Chassis Supplied Air), 7 Pin Round Trailer Plug,**

HYDRAULICS AND SPREADER CONTROLS

- **37 Gallon Upright Mount Hydraulic Reservoir with Sight/Temp gauge**
- **Hydraulic Filter with Indicator**
- **Low Oil Alert Light with Low Oil Shutdown and Override Switch**
- **2" Ball Valve shut-offs**
- **Suction Line Strainer**
- **Electric Transmission-mounted PTO**
- **Variable Displacement Pump**
- **Five (5) Bank Load Sense Valve system**
- **Five (5) Air Controls for Body, Tarp and Plow Functions, Mounted on Custom Reinforced Tower**
- **Stainless Steel Valve Enclosure- Mounted Upright Next to Hydraulic Tank**
- **Stainless Steel Hydraulic Manifold & 1/2" Stainless Steel Piping throughout utilizing Short Lengths of Hose & Swivel Fittings**
- **Force America SSC3100 Spreader Control with Ground Speed Trigger**

ELECTRICAL

- **Premium Electrical System consisting of the following: Sealed Lighting System, complete independent electrical circuitry utilizing a constant duty solenoid, buss bar, & circuit breakers mounted inside cab, Betts ICC Required Lexan Lens Lighting**
- **LED LIGHTING Whelen NEL 3 with Heated Rear Lens, TWO (2) Amber Strobes in Cab Shield, TWO (2) Rear Amber Strobes and S/T/T & Reverse in Each Corner post. Mounted in Stainless Steel Boxes**
- **LED Spinner Light with In Cab Switch**
- **LED Load Light with in cab Switch**
- **Two (2) LED Reverse Lights Mounted on Rear Flap Bracket**
- **Truck-Lite Heated LED Plow Lights mounted on Stainless Steel Brackets utilizing Chassis Plow Light Circuitry**
- **Precise Wireless Non-Contact Road Temperature System**
- **Backup Alarm**

Prepared for:
JAY TUTTLE
TOWN OF ANDOVER
12 LONG HILL RD
ANDOVER, CT 06232
Phone: 860-742-4048
E-Mail: PUBLICWORKS@ANDOVERCT.ORG

Prepared by:
Matt Milici
FREIGHTLINER OF HARTFORD
199 ROBERTS STREET
EAST HARTFORD, CT 06108
Phone: 860-247-8845
E-Mail: MATTM@FOHCT.COM

PAINT:

- Underside Painted Black

WARRANTY:

- One Year Warranty Parts and Labor

Pricing Valid for Orders Placed within 30 Days of Quotation 12/3/2022 - 1/2/2023
All orders placed after 30 Days subject to manufacturer price increases at time of order

Respectfully Submitted,

Jim Uccello

Sales Consultant

ACCEPTANCE OF PROPOSAL: The above prices, specifications, and conditions are satisfactory and are hereby accepted.

SIGNED: _____

DATE: _____

DAIMLER

Daimler Truck Financial

Date of Quote: December 9, 2022

Town of Andover
12 Long Hill Road
Andover, CT. 06232

Daimler Truck Financial Services USA LLC ("DTFS") is pleased to offer the following pricing quote to finance the acquisition of various vehicles as described below:

Borrower: Town of Andover
Issue Type: Tax-exempt Installment financing of the following equipment, subject to annual appropriation.

ITEM	DESCRIPTION OF EQUIPMENT	No of Units	COST
Equipment	Freightliner 2024 114SD Plow truck	1	\$258,608.86
Equipment			
Equipment			
Equipment			
Other Equipment	ETD = unknown		
None			
Amount to Finance:		TOTAL AMOUNT FINANCED:	<u>\$258,608.86</u>

OPTION 1	
Term	4
Periodicity	AARR
Rate	6.56%
Payment	\$75,595.77
+ Balloon \$	

OPTION 2	
Term	5
Periodicity	AARR
Rate	6.31%
Payment	\$61,907.96
+ Balloon \$	

OPTION 3	
Term	4
Periodicity	AADV
Rate	7.44%
Payment	\$71,772.46
+ Balloon \$	

OPTION 4	
Term	5
Periodicity	AADV
Rate	6.94%
Payment	58,888.95
+ Balloon \$	

Interest Rate Expires: **January 5, 2023**
Quote No. 44900

The quoted Interest Rate assumes the Borrower designates the Installment Purchase as Tax Exempt pursuant to the IRS Code. To preserve the Tax Exempt structure of this installment Purchase, **all payments listed above (including Balloon, if any) are REQUIRED payments, not optional, and are required to be made by Borrower to DTFS.**

Subject to credit qualification and based on the terms described above, DTFS is quoting the Interest Rates as shown in the tables provided above. This quote and the Interest Rates stated herein expires as of the Date shown on this pricing quote and shall have no effect on any prior documentation signed by the parties. Should funding of this schedule occur after the expiration date, current pricing may be used. This pricing quote is not a commitment and is subject to credit approval by DTFS; credit qualification based on the terms of the transaction; verification of eligibility for tax-exempt financing; and mutually agreeable documentation executed and submitted to DTFS for funding. Any subsequent pricing quote, Commitment Letter or documentation executed by the parties will supersede and replace this pricing quote.

No changes in federal or applicable state or local tax law, regulations, case law, rulings, or other interpretations by the Internal Revenue Service that would affect any Federal, State or Local tax benefits are assumed in determining the above Quotes.

LEGAL OPINION: In the event that the "Amount to Finance" is over \$500,000., the Borrower's Counsel shall furnish DTFS with an opinion covering this transaction and the documents used herein. This Opinion shall be in a form and substance satisfactory to DTFS.

Sincerely,
Daimler Truck Financial Services USA
Mark Boyer

DTFS
Reference No